

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**1 Identification**

- **Product Identifier**
- **Trade name: Planisol / TASC Powder M-8580**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
For Cleaning Various Metals in Parts Washers.
- **Product Description** Concentrated Alkaline Detergent
- **Application of the substance / the mixture:** Industry specific application.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Green Power Chemical  
151 Sparta Stanhope Rd.  
Hopatcong, NJ 07843  
Phone: 800-932-9371
- **Emergency telephone number:** 800-932-9371

**2 Hazard(s) Identification**

- **Classification of the substance or mixture:**



GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS05

- **Signal word:** Danger
- **Hazard-determining components of labeling:**  
Sodium Metasilicate Pentahydrate  
Tetrasodium EDTA
- **Hazard statements:**  
Causes severe skin burns and eye damage.
- **Precautionary statements:**  
Do not breathe dusts or mists.  
Wear eye protection / face protection.  
Wash thoroughly after handling.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Wash contaminated clothing before reuse.  
If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580**

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

3 % of the mixture consists of component(s) of unknown toxicity.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**

HEALTH	4	Health = 4
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Hazard(s) not otherwise classified (HNOC):** None known\* **3 Composition/Information on Ingredients**· **Chemical characterization: Mixtures**· **Description:** Mixture of substances listed below with non-hazardous additions.· **Dangerous Components:**

CAS: 497-19-8	Sodium carbonate ⚠ Eye Irrit. 2, H319	Proprietary%
CAS: 10213-79-3	Sodium Metasilicate Pentahydrate ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	Proprietary%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium Chloride ⚠ STOT SE 3, H335	Proprietary%
CAS: 68439-46-3	Alcohol C9-11	Proprietary%
CAS: 64-02-8 RTECS: AH 5075000	Tetrasodium EDTA ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	Proprietary%

\* **4 First-Aid Measures**· **Description of first aid measures:**· **General information:** Immediately remove any clothing soiled by the product.· **After inhalation:**

Remove to fresh air. Dust in throat and nasal passages should clear spontaneously. Seek medical attention for discomfort or if coughing or other symptoms do not subside.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580**

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### \* 5 Fire-Fighting Measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:**  
If incinerated, product will release the following toxic fumes: Oxides of Carbon, Nitrogen (NO<sub>x</sub>), Phosphorous, Silicon and Sodium and Hydrochloric acid gas.
- **Advice for firefighters:**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Avoid formation of dust.  
Avoid contact with skin, eyes and clothing.  
Ensure adequate ventilation.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Powder and fragments should be cleaned up using a method that will avoid the generation of dust in the workplace atmosphere. The use of a vacuum cleaner fitted with an exhaust air filter fine enough to trap the dust is recommended.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### \* 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities:**  
Store away from strong acids, strong bases and strong oxidizing agents.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** No further relevant information available..
- **Specific end use(s):** No further relevant information available.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580**

### \* 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**  
All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.
- **Components with occupational exposure limits:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**



Dust mask

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Select glove material based on penetration times, rates of diffusion and degradation.
- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
- **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580****· Body protection:**

Protective work clothing

* <b>9 Physical and Chemical Properties</b>
---

**· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Powder**Color:** White**· Odor:** Mild**· Odor threshold:** Not determined.**· pH-value:** >11.5**· Change in condition****Melting point/Melting range:** Not determined.**Boiling point/Boiling range:** 1461 °C (2662 °F)**· Flash point:** None**· Flammability (solid, gaseous):** Not applicable.**· Ignition temperature:****Decomposition temperature:** Not determined.**· Auto igniting:** Product is not self-igniting.**· Danger of explosion:** Product does not present an explosion hazard.**· Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**· Vapor pressure:** Not determined.**· Density:****Relative density:** Not determined.**Vapor density:** Not determined.**Evaporation rate:** Not determined.**· Solubility in / Miscibility with:****Water:** Soluble.**· Partition coefficient (n-octanol/water):** Not determined.**· Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**· Solvent content:****Organic solvents:** 0.0 %**Solids content:** 95.4 %**· Other information:** No further relevant information available.

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580****\* 10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** Strong acids, strong bases and strong oxidizing agents.
- **Hazardous decomposition products:**  
Oxides of Carbon, Nitrogen (NOx), Phosphorous, Silicon and Sodium and Hydrochloric acid gas.

**\* 11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**497-19-8 Sodium carbonate**

Oral	LD50	4090 mg/kg (rat)
Inhalative	LC50/96 hours	300 mg/l (Fathead Minnow)

**10213-79-3 Sodium Metasilicate Pentahydrate**

Oral	LD50	847 mg/kg (rat)
------	------	-----------------

**7647-14-5 Sodium Chloride**

Oral	LD50	3000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)

**64-02-8 Tetrasodium EDTA**

Oral	LD50	630-1260 mg/kg (rat)
------	------	----------------------

- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:**  
Strong irritant with the danger of severe eye injury.  
Corrosive effect.  
Causes serious eye irritation.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Corrosive  
Irritant  
Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans

None of the ingredients are listed.

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580****· NTP (National Toxicology Program):**

None of the ingredients are listed.

**· OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**\* 12 Ecological Information****· Toxicity:****· Aquatic toxicity:****497-19-8 Sodium carbonate**

EC50 227 mg/l (daphnia)

**7647-14-5 Sodium Chloride**

EC50 1661 mg/l (Water flea)

**· Persistence and degradability:** No further relevant information available.**· Behavior in environmental systems:****· Bioaccumulative potential:** No further relevant information available.**· Mobility in soil:** No further relevant information available.**· Additional ecological information:****· General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.**· Results of PBT and vPvB assessment:****· PBT:** Not applicable.**· vPvB:** Not applicable.**· Other adverse effects:** No further relevant information available.**\* 13 Disposal Considerations****· Waste treatment methods:****· Recommendation:**

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

**· Uncleaned packagings:****· Recommendation:**

Dispose of as unused product.

Disposal must be made according to official regulations.

**\* 14 Transport Information****· UN-Number:****· DOT, ADR, ADN, IMDG, IATA**

Non-Regulated Material

**· UN proper shipping name:****· DOT, ADR, ADN, IMDG, IATA**

Non-Regulated Material

**· Transport hazard class(es):****· DOT, ADR, ADN, IMDG, IATA****· Class:**

Non-Regulated Material

**· Packing group:****· DOT, ADR, IMDG, IATA**

Non-Regulated Material

**· Environmental hazards:**

Not applicable.

**· Special precautions for user:**

Not applicable.

**· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable.

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580**· **UN "Model Regulation":** Non-Regulated Material**\* 15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

497-19-8	Sodium carbonate
7647-14-5	Sodium Chloride
68439-46-3	Alcohol C9-11
64-02-8	Tetrasodium EDTA
52623-95-7	Polyethylene glycol octylphenyl ether phosphate
64972-19-6	B-alanine, N-(2-carboxyethyl)-N-[3-(decyloxy)propyl]-, monosodium salt

· **California Proposition 65:**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories:**· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**

GHS05

· **Signal word:** Danger· **Hazard-determining components of labeling:**

Sodium Metasilicate Pentahydrate

(Contd. on page 9)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

**Trade name: Planisol / TASC Powder M-8580**

Tetrasodium EDTA

**Hazard statements:**

Causes severe skin burns and eye damage.

**Precautionary statements:**

Do not breathe dusts or mists.

Wear eye protection / face protection.

Wash thoroughly after handling.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

**State Right to Know:**

CAS: 497-19-8	Sodium carbonate ⚠ Eye Irrit. 2, H319	Proprietary%
CAS: 10213-79-3	Sodium Metasilicate Pentahydrate ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	Proprietary%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium Chloride ⚠ STOT SE 3, H335	Proprietary%
CAS: 68439-46-3	Alcohol C9-11	Proprietary%
CAS: 64-02-8 RTECS: AH 5075000	Tetrasodium EDTA ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	Proprietary%
CAS: 52623-95-7	Polyethylene glycol octylphenyl ether phosphate ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ STOT SE 3, H335	Proprietary%

All ingredients are listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

**Date of preparation / last revision:** 12/15/2015 / -**Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/15/2015

Reviewed on 12/15/2015

### Trade name: *Planisol / TASC Powder M-8580*

ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· \* **Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106